


In re Appln. of: Udo Gross  
 Appln. No.: 10/018,398  
 Attorney docket: 740-X01-003

Goup Art Unit: 1614



wherein

$\text{R}_F$  is a linear or branched perfluorinated alkyl chain  $\text{C}_2\text{F}_5$  to  $\text{C}_{12}\text{F}_{25}$ ,

$\text{R}^1$  and  $\text{R}_2$  are independently selected from the group H,  $\text{CH}_3$ ,  $\text{C}_2\text{H}_5$  and  $\text{C}_3\text{H}_7$ ,

$n$  is selected from the integers 0, 1 and 2, and

$x$  is an integer from 2 to 6,

having a molecular weight of at least 750

to an eye as an ophthalmologic pharmacological treating agent.

Claim 17 (previously presented): The method of claim 16 wherein the application to the eye is as one of a vitreous body substitute and a retina tamponade.

Claim 18 (previously presented): The method of claim 16 wherein the application to the eye is as a liquid implant.

Claim 19 (previously presented): The method of claim 16 wherein the application to the eye is as a tear substitute.

Claim 20 (previously presented): The method of claim 16 wherein pharmacological agents are mixed with the highly fluorinated oligomeric compound which acts as a carrier therefore before applying to the eye.


Claim 21 (previously presented): The method of claim 16 wherein a plurality of different ones of said highly fluorinated oligomeric compounds are mixed together before applying to the eye.

In re Appln. of: Udo Gross  
Appln. No.: 10/018,398  
Attorney docket: 740-X01-003

Goup Art Unit: 1614

Claim 22 (previously presented): The method of claim 16 wherein said highly fluorinated oligomeric compound is a component of a pharmacological preparation that is applied to the eye.

Claim 23 (new): A method of caring for an eye comprising the step of applying at least one highly fluorinated oligomeric compound of the general formula



wherein

$\text{R}_F$  is a linear or branched perfluorinated alkyl chain  $\text{C}_2\text{F}_5$  to  $\text{C}_{12}\text{F}_{25}$ ,

$\text{R}^1$  and  $\text{R}^2$  are independently selected from the group H,  $\text{CH}_3$ ,  $\text{C}_2\text{H}_5$  and  $\text{C}_3\text{H}_7$ ,

$n$  is selected from the integers 0, 1 and 2, and

$x$  is an integer from 2 to 6,

having a molecular weight of at least 750

to an eye as an ophthalmologic caring agent.

Claim 24 (new): The method of claim 23 wherein the application to the eye is as one of a vitreous body substitute and a retina tamponade.

Claim 25 (new): The method of claim 23 wherein the application to the eye is as a liquid implant.

Claim 26 (new): The method of claim 23 wherein the application to the eye is as a tear substitute.

In re Appln. of: Udo Gross  
Appln. No.: 10/018,398  
Attorney docket: 740-X01-003

Goup Art Unit: 1614

Claim 27 (new): The method of claim 23 wherein pharmacological agents are mixed with the highly fluorinated oligomeric compound which acts as a carrier therefore before applying to the eye.

Claim 28 (new): The method of claim 23 wherein a plurality of different ones of said highly fluorinated oligomeric compounds are mixed together before applying to the eye.

Claim 29 (new): The method of claim 23 wherein said highly fluorinated oligomeric compound is a component of a pharmacological preparation that is applied to the eye.